

 **419-480-9118**
 **cs@toledo-tools.com**
 **www.toledo-tools.com**

TOLEDO TOOLS

PRODUCT CATALOG

Toledo Tools


Toledo, Ohio 43614
United States

419-480-9118 
cs@toledo-tools.com 

TOLEDO PIPE HC 3092 PIPE HOLE CUTTER CHAIN VISE FITS MILWAUKEE 1660-6 1/2" COMPACT DRILL

SKU: TP-HC3092

PRICE: \$554.99



PRODUCT DESCRIPTION

The Toledo Pipe HC 3092 Easily attaches to various sizes of pipe and conduit. Making it effortless to drill up to a 4 1/2" hole into the side of pipe or conduit without slipping or potential of get hurt from holding a drill by hand. Clamping the tool to the pipe also guarantees perfectly square, centered holes and extends the life of hole saws. Lever assisted rack and pinion drive mechanism allows operator to bring tremendous pressure to bear on the workpiece with just one hand, leaving the other hand free. Works with either the Milwaukee® 1660-1 and 1660-6 compact drill.

- Long Chain mounts drill to side of pipe or pipe conduit.
- Max Drill Capacity: 4 1/2"
- Min Pipe Size: 1 1/4"
- Max Pipe Size: 12"
- Chain Length: 36"
- Rack and pinion drive mechanism allow for smooth operation.
- Use in depressurized piping systems only.
- For use with standard off-the-shelf hole saw (not included)
- Works with either the Milwaukee® 1660-1 and 1660-6

ADDITIONAL INFORMATION

More Information

Manufacturer	Toledo Pipe Tools
Description	<p>The Toledo Pipe HC 3092 Easily attaches to various sizes of pipe and conduit. Making it effortless to drill up to a 4 1/2" hole into the side of pipe or conduit without slipping or potential of get hurt from holding a drill by hand. Clamping the tool to the pipe also guarantees perfectly square, centered holes and extends the life of hole saws. Lever assisted rack and pinion drive mechanism allows operator to bring tremendous pressure to bear on the workpiece with just one hand, leaving the other hand free. Works with either the Milwaukee® 1660-1 and 1660-6 compact drill.</p> <ul style="list-style-type: none"> • Long Chain mounts drill to side of pipe or pipe conduit. • Max Drill Capacity: 4 1/2" • Min Pipe Size: 1 1/4" • Max Pipe Size: 12" • Chain Length: 36" • Rack and pinion drive mechanism allow for smooth operation. • Use in depressurized piping systems only. • For use with standard off-the-shelf hole saw (not included) • Works with either the Milwaukee® 1660-1 and 1660-6



419-480-9118



cs@toledo-tools.com



www.toledo-tools.com

TOLEDO TOOLS