

 **419-480-9118**
 **cs@toledo-tools.com**
 **www.toledo-tools.com**

TOLEDO TOOLS

PRODUCT CATALOG

Toledo Tools

Toledo, Ohio 43614
United States

419-480-9118 
cs@toledo-tools.com 

ARGCO RGH-1240 HEAVY DUTY HYDRAULIC ROLL GROOVING ATTACHMENT 1" THRU 12" (SCH 40 - 2" TO 12")

SKU: AR-RGH-1240

PRICE: \$3,199.99



PRODUCT DESCRIPTION

Introducing the RGH-1240 Heavy Duty Hydraulic Roll Groover that can groove 1" to 12" out of the box. Easily mount to the RIDGID® 300 Power Drive or RIDGID® 300 Compact (Using Drive Bar) for machine grooving jobs. The drive bar extension allows you to keep carriage assembly in place while roll grooving on RIDGID® 300 Power Drive.

Features:

- Easily chucks into RIDGID® 300 Power Drives or RIDGID® 300 Compact using Drive Adapter
- Compact design and rugged structure enables unit to handle mass fabrication duty on jobsite
- Unique hydraulic system prevents oil leaks and extends service life
- Grooved depth lock knob ensures high quality grooves and high efficiency
- Swap out drive rollers in 30 seconds
- Capacity: 1" to 12" (2" to 12" schedule 40)
- Max Pipe Wall Thickness: .393" (10 mm)
- Net weight: 96 lbs.

Capacity: 1"-12"

- 1" to 12" Sch 7/10/40 Aluminum and Steel Pipe
- 2" to 8" Sch 10 Stainless Steel Pipe
- 2" to 6" Sch 40 Stainless Steel Pipe

Standard Equipment:

- RGH-1240 Hydraulic Groover
- 1" to 1-1/2" Drive Shaft
- 1" to 1-1/2" Groove Roll
- 2" to 3" Drive Shaft
- 2" to 3" Groove Roll
- 3-1/2" to 6" Drive Shaft
- 3-1/2" to 6" Groove Roll
- 8" to 12" Drive Shaft
- 8" to 12" Groove Roll
- Drive Bar Extension

ADDITIONAL INFORMATION

More Information

Manufacturer	ARGCO
Description	<p>Introducing the RGH-1240 Heavy Duty Hydraulic Roll Groover that can groove 1" to 12" out of the box. Easily mount to the RIDGID® 300 Power Drive or RIDGID® 300 Compact (Using Drive Bar) for machine grooving jobs. The drive bar extension allows you to keep carriage assembly in place while roll grooving on RIDGID® 300 Power Drive.</p> <p>Features:</p> <ul style="list-style-type: none"> • Easily chucks into RIDGID® 300 Power Drives or RIDGID® 300 Compact using Drive Adapter • Compact design and rugged structure enables unit to handle mass fabrication duty on jobsite • Unique hydraulic system prevents oil leaks and extends service life • Grooved depth lock knob ensures high quality grooves and high efficiency • Swap out drive rollers in 30 seconds • Capacity: 1" to 12" (2" to 12" schedule 40) • Max Pipe Wall Thickness: .393" (10 mm) • Net weight: 96 lbs. <p>Capacity: 1"-12"</p> <ul style="list-style-type: none"> • 1" to 12" Sch 7/10/40 Aluminum and Steel Pipe • 2" to 8" Sch 10 Stainless Steel Pipe • 2" to 6" Sch 40 Stainless Steel Pipe <p>Standard Equipment:</p> <ul style="list-style-type: none"> • RGH-1240 Hydraulic Groover • 1" to 1-1/2" Drive Shaft • 1" to 1-1/2" Groove Roll • 2" to 3" Drive Shaft • 2" to 3" Groove Roll • 3-1/2" to 6" Drive Shaft • 3-1/2" to 6" Groove Roll • 8" to 12" Drive Shaft • 8" to 12" Groove Roll • Drive Bar Extension

 **419-480-9118**
 **cs@toledo-tools.com**
 **www.toledo-tools.com**

