

 **419-480-9118**  
 **cs@toledo-tools.com**  
 **www.toledo-tools.com**

**TOLEDO TOOLS**

PRODUCT CATALOG

**Toledo Tools**

Toledo, Ohio 43614  
United States

419-480-9118   
cs@toledo-tools.com 

## ARGCO RGEH-840 ELECTRIC HYDRAULIC ROLL GROOVING MACHINE CAPACITY 1" TO 12" WITH STANDARD STAND (SCH 40 - 1" TO 8")

**SKU: AR-RGEH-840**

**PRICE: \$4,799.99**



### PRODUCT DESCRIPTION

Introducing the RGEH-840 Electric Hydraulic Roll Groover that can groove 1" to 12" out of the box. This is a stand alone motor driven roll groover with an advanced hydraulic feeding system. This groover can be used in the field or in the shop. Comes ready to groove with adjustable pipe stand, foot pedal, and pipe stabilizer for pipe 8" and above.

#### Features:

- Design and rugged structure enables unit to handle mass fabrication duty on jobsite or in the shop.
- Integrated hydraulic feeding pump & groove depth lock nut.
- Specially designed roll set prevents flares on pipe ends.
- Single Phase 1100 Watt 23 rpm Motor

- Pipe stabilizer for pipe 8" and above.
- Capacity: 1" to 12" (1" to 8" schedule 40)
- Max Pipe Wall Thickness: .314" (8 mm)
- Overall Dimensions: 29.5"x16"x30" (LxWxH)
- Net weight: 200 lbs.
- Voltage: 110V

**Capacity: 1"-12"**

- 1" to 8" Sch 10/40 Aluminum, Steel, and Stainless Steel Pipe
- 10" to 12" Sch 10 Aluminum and Steel Pipe

**Standard Equipment:**

- RGEH-840 Electric Hydraulic Groover
- 1" to 1-1/2" Drive Shaft
- 1" to 1-1/2" Groove Roll
- 2" to 3" Drive Shaft
- 3-1/2" to 6" Drive Shaft
- 2" to 6" Groove Roll
- 8" to 12" Drive Shaft
- 8" to 12" Groove Roll
- Foot Switch
- Adjustable Pipe Stand
- Pipe Stabilizer
- Standard Four Legged Base

**ADDITIONAL INFORMATION**

More Information

<b>Manufacturer</b>	ARGCO
<b>Description</b>	<p>Introducing the RGEH-840 Electric Hydraulic Roll Groover that can groove 1" to 12" out of the box. This is a stand alone motor driven roll groover with an advanced hydraulic feeding system. This groover can be used in the field or in the shop. Comes ready to groove with adjustable pipe stand, foot pedal, and pipe stabilizer for pipe 8" and above.</p> <p><b>Features:</b></p> <ul style="list-style-type: none"> <li>• Design and rugged structure enables unit to handle mass fabrication duty on jobsite or in the shop.</li> <li>• Integrated hydraulic feeding pump &amp; groove depth lock nut.</li> <li>• Specially designed roll set prevents flares on pipe ends.</li> <li>• Single Phase 1100 Watt 23 rpm Motor</li> <li>• Pipe stabilizer for pipe 8" and above.</li> <li>• Capacity: 1" to 12" (1" to 8" schedule 40)</li> <li>• Max Pipe Wall Thickness: .314" (8 mm)</li> <li>• Overall Dimensions: 29.5"x16"x30" (LxWxH)</li> <li>• Net weight: 200 lbs.</li> <li>• Voltage: 110V</li> </ul> <p><b>Capacity: 1"-12"</b></p> <ul style="list-style-type: none"> <li>• 1" to 8" Sch 10/40 Aluminum, Steel, and Stainless Steel Pipe</li> <li>• 10" to 12" Sch 10 Aluminum and Steel Pipe</li> </ul> <p><b>Standard Equipment:</b></p> <ul style="list-style-type: none"> <li>• RGEH-840 Electric Hydraulic Groover</li> <li>• 1" to 1-1/2" Drive Shaft</li> <li>• 1" to 1-1/2" Groove Roll</li> <li>• 2" to 3" Drive Shaft</li> <li>• 3-1/2" to 6" Drive Shaft</li> <li>• 2" to 6" Groove Roll</li> <li>• 8" to 12" Drive Shaft</li> <li>• 8" to 12" Groove Roll</li> <li>• Foot Switch</li> <li>• Adjustable Pipe Stand</li> <li>• Pipe Stabilizer</li> <li>• Standard Four Legged Base</li> </ul>



**419-480-9118**



**cs@toledo-tools.com**



**www.toledo-tools.com**

